


Boats baby quilt

48" x 48"



Baby Boat Quilt Pattern

An Original by Christy's Creative Quilts©

[Patterns by Christy](#)


Yardage and cutting directions:




You will need 1 yard; cut the yard into 8 strips $3\frac{1}{2}$ " wide, Cut the strips into 24 rectangles $3\frac{1}{2}$ " x $12\frac{1}{2}$ " for the sash.




You will need $1\frac{1}{2}$ yards; cut the yards into 10 strips $3\frac{1}{2}$ " Wide, cut strips into 116 squares $3\frac{1}{2}$ " x $3\frac{1}{2}$ " of which 16 are for the sash. Cut 3 strips $3\frac{7}{8}$ " wide, cut these strips into 27 squares $3\frac{7}{8}$ " x $3\frac{7}{8}$ ". You will then cut these squares into triangles, you will need 54 of these.



You will need 1 yard; cut the yard into 1 strip $3\frac{1}{2}$ ", cut the strip into 10 squares $3\frac{1}{2}$ " x $3\frac{1}{2}$ ". Cut 2 strips $3\frac{7}{8}$ " wide, cut these strips into 21 squares $3\frac{7}{8}$ " x $3\frac{7}{8}$ ". You will then cut these squares into triangles, you will need 42 of these.



You will need 1 yard; cut the yard into 2 strips $3\frac{1}{2}$ ", cut the strips into 16 squares $3\frac{1}{2}$ " x $3\frac{1}{2}$ ". Cut 1 strip $3\frac{7}{8}$ " wide, cut strip into 10 squares $3\frac{7}{8}$ " x $3\frac{7}{8}$ ". You will then cut the squares into triangles; you will need 20 of these.







Assembly and block building



You will need to make 20 squares like this, using the triangles that you cut. Trim dog ears at each end of seam at a 45 degree angle, press towards the dark fabric.



You will need to make 32 squares like this, using the triangles that you cut. Trim dog ears at each end of seam at a 45 degree angle, press towards the dark fabric.




Now you will need to create 5 of these blocks using the pieces that you previously cut. Set pieces side by side as shown and sew them into rows using a $\frac{1}{4}$ " seam allowance. Sew row together to form the block, be sure to keep a true $\frac{1}{4}$ " seam allowance.

Now you will need to create 4 of these blocks using the pieces that you previously cut. Set pieces side by side as shown and sew them into rows using a $\frac{1}{4}$ " seam allowance. Sew row together to form the block, be sure to keep a true $\frac{1}{4}$ " seam allowance.


Row Assembly



Make 4 for rows 1, 3, 5 and 7.




Make 2 for rows 2 and 6.



Make 1 for row 4.

Top Assembly



Assemble the rows in order as follows:

Sew row 1 to row 2, row 3 to row 4, row 5 to row 6. Now combine the above rows as follows:

Sew row 1-2 to row 3-4, sew row 5-6 to row 7. Now combine as follows, sew row 1-4 to row 5-7.

Quilt as desired, and you will need 1 ½ yards for backing.

You can find more of my pattern at [E-patterns by Christy](#)